



FROM OUNCES TO TONS
NO JOB TOO BIG OR TOO SMALL

23 Chapple Street, Hamilton, Ontario, L8L 8K7

Toll free 866 979 7911 Phone 905 297 7911 Fax 905 385 2614



E-mail info@alchemyextrusions.com

Anodes: Hard Chrome Plating, Decorative Chrome Plating, Anodizing, Tin & Solder Electroplating, Hot Air Leveling, Galvanizing, Metallizing

Alloys:

- Alchemy utilizes only the finest primary materials in the manufacturing of its products.
- Find below a list of the raw metals that we alloy with to produce any configuration you require.
 - Tin (Sn): Complies to ASTM B339 - Grade "A" Tin.
 - Lead (Pb): Complies with ASTM B29 - Corroding Grade Lead.
 - Antimony (Sb): Complies with ASTM B237 - Grade "B" Antimony.
 - Cadmium (Cd): Complies to ASTM B440
- We also produce alloys with additions of Silver (Ag), Bismuth (Bi), and Aluminum (Al).

A Few Examples:





FROM OUNCES TO TONS
NO JOB TOO BIG OR TOO SMALL







23 Chapple Street, Hamilton, Ontario, L8L 8K7

Toll free 866 979 7911 Phone 905 297 7911 Fax 905 385 2614

E-mail info@alchemyextrusions.com

Standard Extruded Configurations:

- Whether extruded or hand cast in our wide range of alloys and configurations, each of our anodes go through the same process to produce a fine grain structure essential for even plate-out and maximum throwing.

Sample Picture	Configuration Name	Dimensions	Metal
	ROUND	1/8" - 4" Dia Various Lengths	Tin Lead Tin/Lead Alloys
	SQUARE	1/8" x 1/8" - 3" x 3" Various Lengths	Tin Lead Tin/Lead Alloys
	RECTANGLE	1/8" - 3" Max. Width = 5" Various Lengths	Tin Lead Tin/Lead Alloys
	"D" STYLE	2" x 3" Various Lengths	Tin Tin/Lead Alloys
	OVAL	2" x 3" Various Lengths	Tin Tin/Lead Alloys
	ELLIPTICAL	2" x 3" Various Lengths	Tin Tin/Lead Alloys









FROM OUNCES TO TONS
NO JOB TOO BIG OR TOO SMALL

23 Chapple Street, Hamilton, Ontario, L8L 8K7

Toll free 866 979 7911 Phone 905 297 7911 Fax 905 385 2614

E-mail info@alchemyextrusions.com

	ROSETTE	1-1/2" & 2" OD Various Lengths	Tin Lead Tin/Lead Alloys
	12 POINT	3" OD Various Lengths	Tin Tin/Lead Alloys
	16 POINT	3" OD Various Lengths	Tin Tin/Lead Alloys
	SAWTOOTH	1-1/4" x 4" Various Lengths	Lead Tin/Lead Alloys
	ZIG ZAG	3/16" x 3" with 7/16" Centre Various Lengths	Lead Tin/Lead Alloys
	RIBBED	3/4" x 3" Various Lengths	Lead Tin/Lead Alloys

- We also produce Lead anodes with cores such as copper, mild steel to name a few.
- All our Lead Alloyed Anodes are available with either Cast Bronze or Copper Hooks, which are cast into nobbins and lead burned onto the anode stock. (All nobbin & burning bar used in homogenous bonding are of the same alloy as the anode stock).
- Tin & Tin/Lead (Solder) Anodes are supplied drilled with a 3/8" Diameter hole and tapped (16 thread) to 1-1/4" Deep.